


MODEL A FORD TRANSMISSION ASSEMBLY
1928-1931

REFER TO PAGES 31-34 except as noted


INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	A-7006-B	Case Transmission	1
2	353051-S	Plug, Oil Drain (3/4 x 15/16 sq. Pipe Plug)	1
3	353051-S	Plug, Oil Filler (3/4 x 15/16 sq. Pipe Plug)	1
4	A-7045	Ring, Main Drive Gear Snap	1
5	A-7118	Bearing, Main Drive Shaft	1
6	A-7017-B	Gear, Main Drive	1
7	B-7040	Baffle, Main Drive Gear Bearing (Center Flat on Bearing)	1
8	A-7025	Bearing, Main Drive Gear (Sealed)	1
9	B-1180 pg. 6	Ring, Retainer Snap	1
10	A-7051	Gasket, Main Drive Gear Bearing Retainer	1
11	A-7050	Retainer, Main Gear Drive Bearing	1
12	20366-S	Bolt (5/16 - 18 x 7/8 Hex Head)	4
13	34846-S	Lockwasher (5/16)	4
14	78-7580-	Bearing Throw-out	1
15	A-7561-B	Hub, Clutch Release Bearing	1
16	A-353027 pg.117	Fitting, Grease	1
17	A-7562	Spring, Throw-out Bearing	1
18	A-7118	Bearing, Cluster Gear (Short)	1
19	A-7113	Gear, Cluster	1
20	A-7141	Gear, Reverser Idler and Bushing Assembly	1
21	A-7115	Spacer, Cluster Gear	1
22	A-7121	Bearing, Cluster (Long)	1
23	A-7101	Gear, Second & High Sliding (Small)	1
24	A-7100	Gear, Low and Reverse Sliding (Large)	1
25	A-4513-A	Cap, Inner	1
25A	A-4515-GS pg. 19	Gasket, Universalk Joint Housing	2
26	A-4520-MB pg. 19	Bolt, Universal Joint (Lockwashers and Nuts Included)	2
27	A-4520-C	Cap, Universal Joint Housing (Clam Shell)	2
28	A-4520-MB pg. 19	Bolt, Universal Joint (3/8 - 24 x 1 7/32 w/Cotter Pin Hole)	6
29	A-4516 (4515-GS) pg. 19	Seal, Grease (Cork or Felt)	1 Set
30	A-4505-A	Tube, Torque	Ref
31	B-7090	Universal Joint	1
32	20389-S	Bolt (3/8 x 24 x 1 Hex)	1
33	34807-S	Lockwasher (3/8)	1
34	B-7095	Washer, Universal Joint Front Knuckle	1
35	A-21116	Bolt (7/16 -20 x 1) - Safety Wired	4
36	A-7085	Retainer, Main Shaft Bearing	1
36A	A-7086	Gasket, Bearing Retainer	1
37	A-21745	Nut, Castle (3/8 -24)	6
38	-	Cotter Pin (3/32 x 5/8)	6
39	A-353027 pg.117	Grease Fitting	1
40	A-7065	Bearing, Main Shaft (Sealed)	1
41	B-7040	Baffle, Main Drive Shaft (Center Flat on Bearing)	1
42	B-7063	Spacer, Main Shaft Pilot	1
43	A-7060	Shaft, Main Drive Gear	1
44	A-7045	Ring, Main Shaft Bearing Retainer	1
45	A-7070	Snap Ring, Main Drive Gear Bearing Retainer	1
46	A-7140	Shaft, Reverse Idler	1
47	A-7111	Shaft, Cluster Gear	1
48	-	Bolt	1
49	-	Lockwasher	1
50	A-7112	Retainer, Countershaft & Reverse Idler	1
51	A-7112	Seal, Transmission Shaft (Optional)	Ref
	-	Washer, Flat Teflon	Ref
	-	Bolt	Ref




MODEL A FORD OIL PUMP ASSEMBLY 1928-1931

REFER TO PAGE 29 except as noted

INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	34805-S	Lockwasher (1/4")	2
2	31606-S	Screw, Fillister (1/4-28 X 7/16")	2
3	A-6611	Cover, Oil Pump Screen	1
4	A-6612	Bushing (.625 OD/.500 ID)	2
5	A-6626	Gasket, Cover Screen	1
6	A-6603-C	Body Assembly	1
7	A-6610	Gear	1
8	A-6608-B	Shaft Assembly	1
9	A-6623	Screen, Filter	1
10	A-6619-R	Gasket, Oil Pump Cover	1
11	A-6616	Plate, Oil Pump Gear Cover	1
12	A-6618	Clamp, Retaining Spring	1
13	A-6620	Spring, Retaining	1
14	34805-S	Lockwasher (1/4")	4
15	20309	Bolt (1/4-28 X 1/2") Hex	4






MODEL A SHOCK ABSORBER LINK TUBE ASSEMBLY 1928-1931

REFER TO PAGE 82 except as noted


INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	A-18063	Shock Link, Tubular	4
2	A-18060	Seat, Ball (Brass)	16
3	A-18062-B	Spring, Link	4
4	A-18064	Spacer, Spring Link	4
5	A-18061	Plug, Shock Link	4
6	A-353031 (pg.117)	Fitting, Lubrication (67 1/2° Ball)	4
7	72053-S	Cotter Pin (1/8"X1 1/4")	4




MODEL A ENGINE FRONT SUPPORT ASSEMBLY 1928-1931

REFER TO PAGES 24-25

INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	A-6030-A	Engine Front Support	1
2	A-6032	Spring	2
3	A-6031	Spring, Auxiliary	1
4	A-6034	Bushing, Brass	1
5	A-6035	Spring, Retaining	1
6	A-6033-N	Nut, Castle (7/16-20)	1
7	A-6033	Washer, Stop (Leather)	1
8	A-21531	Cotter Pin	1
9	A-6030-MB	Bolt, Hex (1/2-13 X 1 1/16")	2
10	A-6030-X	Lock Washer (1/2")	1





MODEL A WATER PUMP & FAN ASSEMBLY
 1928-1931 P/N A-8501


REFER TO PAGES 37-39 except as noted


INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	A-8505	Body (Cover) Assembly	1
2	A-8511	Shaft Assembly	1
3	A-8513-A	Washer (Impeller)	1
4	A-8520	Bushing, Rear	1
5	A-8523-B	Nut, Bushing	1
6	A-8524	Packing	2
7	A-8530	Bearing, Shaft Roller	1
8	A-8535	Sleeve, Roller Bearing	1
9	A-8540-A	Retainer, Bearing Felt	2
10	A-8554	Washer, Bearing Felt Retainer (21/32) Plain	2
11	A-8542	Felt, Bearing	2
12	A-8501-FIT	Lubricator Fitting - Front	1
13	A-353027 pg.117	Lubricator Fitting - Rear	1
14	A-8600-A	Fan Assembly	1
15	A-23902	Key	1
16	A-21791-S3 KIT A-8510-MS	Nut (7/16-20 Castle Nut)	1
17	A-23531	Cotterpin (3/32" X 3/4")	1

MODEL A FORD CARBURETOR, ZENITH I
1928-1930 (P/N A-9510-B)

REFER TO PAGES 42-44

INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	A-9512-B	Upper Body Assembly	1
2	A-9512	Bolt, Hex Head (3/8"-24 X 3 3/16")	1
3	A-22257-S2	Washer, Lock (3/8")	1
4	A-9592	Gasket	1
5	A-9577-AMB	Needle, Idle Adjusting	1
6	A-9578	Spring, Idle Adjusting	1
7	A-9579	Cap, Idle Adjusting	1
8	A-9559-B	Strainer Assembly	1
9	A-22333	Washer, Fiber (1/2")	1
10	A-9581	Shaft Assembly	1
11	A-9582-S	Screw Fillister (#8-36 X 5/8")	1
12	A-9585	Plate, Throttle	1
13	A-9549-MB	Screw, Oval (#5-40 X 19/64")	2
14	A-9586	Venturi, Single (Carburetor Main)	1
15	A-9542	Jet Idle	1
16	A-9564	Valve Assembly, Carburetor Fuel	1
17	A-22333	Washer	1
18	A-9550	Float Assembly	1
19		Pin, (Carburetor Float Hinge)	1
20	A-9512	Lower Body Assembly	1
21	A-9528	Housing, Fuel Adjusting Needle	1
Not Shown	A-9532	Seat, Adjusting Needle	1
22	A-9525	Needle, Fuel Adjusting	1
23	A-9570	Driver, Choke	1
24	A-9538-B	Jet, Cap	1
25	A-22086	Washer, Cap Jet	1
26	A-9545	Insert, Secondary Well	1
27	A-9575	Jet, Compensator	1
28	A-22086	Washer, Compensator Jet	1
29	A-9547	Shaft, Carburetor Air Shutter	1
30	A-9549	Plate, Carburetor Air Shutter	1
31	A-9549-MB	Screw, Oval (#5-40 X 19/64")	see # 13
32	A-9548	Lever, Carburetor Air Shuttle	1
33	A-9547-MB	Nut, Hex (#8-36)	1
34	A-22062	Washer, Lock (5/32")	1
35	A-9534	Jet, Main	1
36	A-22086	Washer, Main Jet	1
37	B-9590	Plug, Drain	1
38	A-22256	Washer, Drain Plug	1






MODEL A FORD DISTRIBUTOR ASSEMBLY
1928-1931

REFER TO PAGE 51-53


INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	A-12130-A	Base Assembly	1
2	A-12132	Bushing	2
3	A-12135	Oiler	1
4	-	Fiber Washer - 1/2 x 3/16 x 3/4 Plain	1
5	A-12195	Shaft Sleeve	1
6	A-12196	Sleeve Pin - 1/8 x 13/16 Plain Pin	1
7	B-12144-S	Clamp	1
8	A-12145	Clamp Rivet - 1/8 x 15/16 Oval Head Split Head (Plain Steel, Cadmium, Nickel, or Brass)	2
9	A-12300	Condensor	2
10	26457-S7	Roundhead Machine Screw - 8-32 x 1/4 Cadmium Plated	1
11	34842-S	Lockwasher - #8 Plain Finish	1
12	27053-S5	Roundhead Machine Screw - 10-32 x 1/4 Copper Plate	1
13	A-12148	Support Assembly Lower Plate	1
14	26457-S7	Roundhead Machine Screw - 8-32 x 1/4 Cadmium	1
15	34842-S	Lockwasher #8 Plain Finish	2
16	A-12137	Spring	2
17	A-12151-P	Plate and Insulator Assembly	1
18	A-12199	Breaker Arm Assembly	1
19	A-12160	Contact Screw Bracket	1
20	-	Steel Spacer (Same Thickness as Index No. 17)	1
21	-	Fiber Washer	1
22	A-12148-W	Pigtail	1
23	34842-S	Lockwasher - Plain Finish	1
24	33941-S7	Hex Nut - 8-32 x 5/16 Cadmium	1
25	20116-S8	Roundhead Screw - 8-32 x 5/16, Zinc Plate	1
26	34701-S7	Washer - 5/32 Plain (Goes with the Pivot Side of the Point Block)	2
27	22056	Lockwasher - #8 Plain Finish	1
28	31052-S7	Fillister Head Screw - 6-32 x 7/16 Cadmium	1
	-	Lockwasher - #6 Plain Finish	1
	-	Plain Flat Washer - 5/16 Cadmium	1
29	A-12178-S	Shaft	1
30	A-12210	Cam	1
31	A-12211	Cam Screw	1
32	A-12213	Lockwasher 5/16 - Plain Finish (1/32 x 17/32 Special Lockwasher)	1
33	B-12213	Washer - 5/16 (1/32 x 35/64) Plain Finish	1
34	A-12105	Body	1
35	A-12200	Rotor	1
36	A-12115	Cap Assembly	1




MODEL A FORD HORN ASSEMBLY - SPARTON
1928-1931 P/N A-3305

REFER TO PAGES 62-63 except as noted

INDEX #	PART #	NOMENCLATURE	NO. REQ.
1	A-13840	Screen, Horn Projector	1
2	A-13807-B	Projector, Horn Assembly	1
3	A-13812	Gasket, Horn Diaphragm	2
4	A-13811	Diaphragm, Horn Assembly	1
5	A-13827-A	Nut, Diaphragm Serrated Washer Ret.	1
6	-	Lockwasher	1
7	A-13826	Washer, Serrated	1
8	-	Nut, Motor Assembly	2
9	-	Lockwasher, Motor Assembly	2
10	-	Retainer Spring	1
11	A-13815	Motor Assembly	1
12	A-13808	Bolt, Flange (12-24 X 5/8")	2
13	A-13808-B	Bolt, Flange (12-24 X 3/8")	4
14	A-13808-C	Nut, Hex (7/16" Wide)	6
15	A-13808-D	Lockwasher (Use for Bracket)	2
16	-	Pad, Felt (Attached by 2 Split Rivets)	1
17	A-13805	Bracket, Horn Mounting	1
18	A-13816	Armature, Horn Motor	1
19	A-13836	Block Assembly, Terminal Insulating	1
20	-	Washer, Fiber (Brush Insulator)	2
21	A-13817/18	Brush & Spring Assembly	2
22	-	Holder, Brush & Spring	2
23	-	Screw, Brush & Spring Holder	2
24	-	Washer, Conical Fiber	2
25	-	Field Assembly, Horn Motor	1
26	-	Felt, Oiler	1
27	-	Spring, Horn Adjusting Screw	1
28	A-13825	Adjusting Screw Bridge, Horn	1
29	A-13824	Spacer, Horn Adjusting Screw	1
30	A-13804	Screw, Special Adjusting	1
31	-	Washer, Felt	1
32	A-13802	Nameplate, Sparton Horn	1
33	A-13806-A	Rivet, Nameplate	2
34	A-13809	Cover, Horn - Sparton	1
35	-	Lockwasher, Horn Cover	1
36	A-13809-SC	Screw, Horn Cover (8-32 X 15/32")	1
37	A-13819	Connector, Horn Terminal	2



4-Cylinder Motor



32-34 USED FOR EXAMPLE



SPECIFY SIZE: S, M, L, XL
STANDARD "T" ONLY
ALL FORD PARTS

WE ARE OFFERING ALL FORD PARTS SHIRTS
AND THE 34 STORE SHIRTS.
THE 34 STORE IS A DIVISION OF ALL FORD PARTS.

THESE SHIRTS ARE SCREENED ON
BOTH SIDES !



ALL FORD PARTS LOGO SHOWN ON STANDARD "T"
SILK SCREENED, ONE COLOR
SELECT COLOR OF T-SHIRT:
RED, BURGANDY, BLUE, GREEN
T-8932 EACH \$13.00
BACK SCREENED WITH FORD-ORIENTED ARTWORK

HOODED SWEATSHIRTS ALSO AVAILABLE
RED, BLUE, BLACK
T-8932-HS EACH \$25.00

SWEATSHIRTS AVAILABLE @ \$20 & \$25